

APPROXIMATE DETECTION PERIODS FOR EACH SUBSTANCE BY SPECIMEN TYPE

The chart below gives approximate detection periods for each substance by test type. The detection ranges vary by amount and frequency of use, metabolic rate, body mass, age, overall health, drug tolerance, and urine pH.

DRUG	URINE DETECTION WINDOW	ORAL FLUID DETECTION WINDOW	DRUG	URINE DETECTION WINDOW	ORAL FLUID DETECTION WINDOW
ALCOHOL (ALC)	Approx. 24 hours	After absorption (~1 hour) blood alcohol decreases ~.02 gm%/hour	KRATOM (KRA) (MITRAGYNINE)	1-9 days	
AMPHETAMINE (AMP)	2-3 days	1-3 days	LYSERGIC ACID DIETHYLAMIDE (LSD)	Up to 8 hours	
BARBITURATE (BARB)	Short acting 1 day. Long acting 2-3 weeks	1-2 days	MARIJUANA (THC)	15-30 days	6-12 hours
BENZODIAZEPINE (BZO)	Normal dose 2-3 days Chronic use (1 yr or more) 4-6 weeks	6-48 hours	MDMA/ECSTASY (MDMA)	1-4 days	1-4 days
BUPRENORPHINE (BUP)	1-4 days	1-2 days	METHADONE (MTD)	1-5 days	1-2 days
CLONAZEPAM (CLO) (Part of Benzodiazepine family)	Normal dose 2-3 days Chronic use (1 yr or more) 4-6 weeks		METHAMPHETAMINE (MET)	3-5 days	1-3 days
COCAINE (COC)	2-4 days	1-3 days	METHAQUALONE (MQL)	1-3 days	
COTININE (COT)	Up to 90 days	2-4 days	METHYLENEDIOXY-PYROVALERONE CATHINONES/ BATH SALTS (MDVP)	1-3 days	
EDDP/METHADONE	1-5 days	1-2 days	METHYLPHENIDATE (RIT)	1-3 days	
ETG (ETHYL GLUCURONIDE)	Up to 80 hours		OPIATES (OPI)	2-4 days	1-3 days
FENTANYL (FYL)	1-2 days		OXYCODONE (OXY)	1-4 days	1-3 days
GABPENTIN (GAB)	1-3 days		PHENCYCLIDINE (PCP)	7-14 days	1-3 days
GAMMA HYDROXY-BUTYRIC (GHB)	1 day		PREGABALIN (PGB)	2-4 days	
K2	1-3 days		PROPOXYPHENE (PPX)	1-4 days	
K3	1-3 days		TRAMADOL (TMA)	1-4 days	Up to 48 hours
K4	1-3 days		TRICYCLIC ANTI-DEPRESSANT (TCA)	Avg. 7-10 days. Therapeutic dose 3 days, extended use 4 weeks	
KETAMINE (KET)	7-14 days		6-ACETYLMORPHINE/ HEROIN (6ACM)	1-4 days	1-3 days
			ZOLPIDEM (ZOL)	1-3 days	
			ZOLPICLONE (ZOP)	1-3 days	